

Adhesive for artificial grass



Complete adhesive program for construction of artificial grass:

- ProFect® 41155 and ProFect® 41158.
- 2-component PU systems – used with the hardener ProFect® 91102.
- Developed for bonding of joints when mounting artificial grass with tape.
- Can be applied both manually and by machine.

Further:

- Tape – Width: 30 cm and Length: 300 m - used at the joints.
- ProFect® 41105: 1 component green PU adhesive in 300 ml patrons - for minor repairs.
- PKI Catalyst: An additiv when fast curing is needed, e.g. at low temperatures or at repairs.

Adhesive for artificial grass



Technical data

| | | |
|------------------------------------|--|-----------------------------|
| Pot life | App. 60 min at 20°C | |
| Viscosity, 20°C | ProFect® 41155: 60.000 mPas – Winther* | |
| | ProFect® 41158: 100.000 mPas - Summer | |
| Optimal working temperature | 15 – 20°C | |
| Lowest working temperature | 5°C | |
| Curing time | 12 hours at 20°C | |
| Consumption: | Concrete: | 1-1,2 kg/m ² |
| | Seam gluing: | 500 g/seam - m ² |

* Ideal for wet and cold environments.